

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008 This SDS is for generic information purposes and does not reflect required country specific information for OEL

MS Polymer Kleber + Dichtstoff Transparant Supercedes Date: 20-Dec-2022

#### Revision date 20-Dec-2022

**Revision Number** 1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product Identifier

Product NameMS Polymer Kleber + Dichtstoff TransparantPure substance/mixtureMixture

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Adhesives and/or sealants.
Uses advised against	Not to be used in production of toys or childcare articles.

### 1.3. Details of the supplier of the safety data sheet

#### **Company Name**

Wacredo Neyses Gartenteiche GmbH Fürst-Leopold-Alle 107 46284 Dorsten Germany +49 (0) 2362-790 660 info@wacredo.de www.wacredo.de

### 1.4. Emergency telephone number

**Emergency Telephone** 

Wacredo: +49 (0) 2362-790 660

# SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

#### Regulation (EC) No 1272/2008

Not classified

#### 2.2. Label Elements

Not classified

Signal word None

Hazard statements Not classified

#### **EU Specific Hazard Statements**

EUH208 - Contains N-(3-(trimethoxysilyl)propyl)ethylenediamine & 1,2-Ethanediamine, N-[3-(dimethoxymethylsilyl)propyl]- & Dioctyltinbis(acetylacetonate). May produce an allergic reaction EUH210 - Safety data sheet available on request

### 2.3. Other Hazards

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

#### PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Not applicable

## 3.2 Mixtures

Chemical name	EC No.	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH Registration Number
Trimethoxyvinylsilane	220-449-8	2768-02-7	1 - <5	Acute Tox. 4 (H332) Flam. Liq. 3 (H226)		01-2119513215- 52-XXXX
Dioctyltinbis(acetylaceto nate)	483-270-6	54068-28-9	0.1- <1	STOT SE 2 (H371) Skin Sens. 1 (H317)	Skin Sens. 1 :: C>=5%	01-0000020199- 67-XXXX
N-(3-(trimethoxysilyl)pro pyl)ethylenediamine	217-164-6	1760-24-3	0.1- <1	Eye Dam. 1 (H318) Skin Sens. 1 (H317) Acute Tox. 4 (H332) STOT SE 3 (H335)		01-2119970215- 39-XXXX
1,2-Ethanediamine, N-[3-(dimethoxymethylsil yl)propyl]-	221-336-6	3069-29-2	0.1- <1	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1A (H317)		01-2119963926- 21-xxxx

#### Full text of H- and EUH-phrases: see section 16

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

# SECTION 4: First aid measures

## 4.1. Description of first aid measures

#### **General advice**

If medical advice is needed, have product container or label at hand. Show this safety data sheet to the doctor in attendance.

Inhalation	Remove to fresh air. If symptoms persist, call a doctor.
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Skin contact	Wash skin with soap and water. In the case of skin irritation or allergic reactions see a doctor.
Ingestion	Call a doctor immediately. If swallowed, rinse mouth with water (only if the person is conscious). Small amounts of toxic methanol are released by hydrolysis.
4.2. Most important symptoms a	nd effects, both acute and delayed
Symptoms	None known.
4.3. Indication of any immediate	medical attention and special treatment needed
Note to doctors	Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing. Treat symptomatically.

SECTION 5: Firefighting measures 5.1. Extinguishing media					
Suitable extinguishing media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.				
Unsuitable extinguishing media	Full water jet.				
5.2. Special hazards arising from t	he substance or mixture				
Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating gases and vapours.				
Hazardous combustion products	Carbon dioxide (CO2). Silicon dioxide.				
5.3. Advice for firefighters					
Special protective equipment for fire-fighters	Wear self contained breathing apparatus for fire fighting if necessary.				
SECTION 6: Accidental release measures					
6.1. Personal precautions, protective equipment and emergency procedures					
Personal precautions	Use personal protective equipment as required. Ensure adequate ventilation. Do not get in eyes, on skin, or on clothing.				

Other information Ventilate the area. Prevent further leakage or spillage if safe to do so.

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

- **Environmental precautions** Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.
- 6.3. Methods and material for containment and cleaning up

Methods for containment Do not scatter spilled material with high pressure water streams.

Methods for cleaning up Take up mechanically, placing in appropriate containers for disposal.

### 6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
Advice on safe handling	Ensure adequate ventilation. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.			
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and after work.			
7.2. Conditions for safe storage, in	cluding any incompatibilities			
Storage Conditions	Keep at temperatures between 5 and 35 °C. Keep away from food, drink and animal feedingstuffs. Protect from moisture.			
7.3. Specific end use(s)				
<b>Specific Use(s)</b> Adhesives and/or sealants.				
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.			
Other information	Observe technical data sheet.			

# SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Exposure Limits

Small amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon curing

# Only European Community Occupational Exposure Limits will be shown in this document. Please refer to regional SDS for further information.

Chemical name	European Union
Methyl alcohol	TWA: 200 ppm
67-56-1	TWA: 260 mg/m <sup>3</sup>

Derived No Effect Level (DNEL) No

No information available

Derived No Effect Level (DNEL)					
Trimethoxyvinylsilane (2768	-02-7)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
worker Systemic health effects Long term	Inhalation	27,6 mg/m <sup>3</sup>			
worker Systemic health effects Long term	Dermal	3,9 mg/kg bw/d			

Dioctyltinbis(acetylacetonate) (54068-28-9)					
Туре		Derived No Effect Level (DNEL)	Safety factor		

### MS Polymer Kleber + Dichtstoff Transparant Supercedes Date: 20-Dec-2022

Long term Systemic health effects worker	Dermal	0.07 mg/kg bw/d	
Long term Systemic health effects worker	Inhalation	84 mg/m³	
Short term Systemic health effects worker	Inhalation	84 mg/m³	
Long term Short term Local health effects worker	Inhalation	0.091 mg/m³	

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker Systemic health effects Long term	Inhalation	35.5 mg/m³		
worker Systemic health effects Long term	Dermal	5 mg/kg bw/d		

1,2-Ethanediamine, N-[3-(dimethoxymethylsilyl)propyl]- (3069-29-2)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
worker Long term Systemic health effects	Inhalation	12 mg/m³		
worker Long term Systemic health effects	Dermal	1.7 mg/kg bw/d		

Derived No Effect Level (DNEL) Trimethoxyvinylsilane (2768-02-7)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Systemic health effects Long term	Inhalation	18,9 mg/m <sup>3</sup>		
Consumer Systemic health effects Long term	Dermal	7,8 mg/kg bw/d		
Consumer Systemic health effects Long term	Oral	0,3 mg/kg bw/d		

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Systemic health effects Long term	Oral	2.5 mg/kg bw/d	
Consumer Systemic health effects Long term	Inhalation	8.7 mg/m³	
Consumer Systemic health effects Long term	Dermal	2.5 mg/kg bw/d	

1,2-Ethanediamine, N-[3-(dimethoxymethylsilyl)propyl]- (3069-29-2)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
Consumer Long term Systemic health effects	Inhalation	2.9 mg/m³	
Consumer Long term Systemic health effects	Dermal	0.83 mg/kg bw/d	
Consumer Long term Systemic health effects	Oral	0.83 mg/kg bw/d	

# **Predicted No Effect Concentration** No information available. **(PNEC)**

Predicted No Effect Concentration (PNEC)	
Trimethoxyvinylsilane (2768-02-7)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.34 mg/l
Marine water	0.034 mg/l
Microorganisms in sewage treatment	110 mg/l

Dioctyltinbis(acetylacetonate) (54068-28-9)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	26 μg/l
Marine water	2.6 µg/l
Freshwater - intermittent	260 μg/l
Sewage treatment plant	1 mg/l
Freshwater sediment	0.155 mg/kg dry weight
Marine sediment	0.0155 mg/kg dry weight
Soil	0.0158 mg/kg dry weight

N-(3-(trimethoxysilyl)propyl)ethylenediamine (1760-24-3)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	0.062 mg/l
Marine water	0.0062 mg/l
Sewage treatment plant	25 mg/l

1,2-Ethanediamine, N-[3-(dimethoxymethylsilyl)propyl]- (3069-29-2)		
Environmental compartment	Predicted No Effect Concentration (PNEC)	
Freshwater	0.062 mg/l	
Marine water	0.006 mg/l	
Sewage treatment plant	25 mg/l	
Freshwater sediment	0.24 mg/kg dry weight	
Marine sediment	0.024 mg/kg dry weight	
Soil	0.01 mg/kg dry weight	

### 8.2. Exposure controls

**Engineering controls** 

Ensure adequate ventilation, especially in confined areas.

# **Personal Protective Equipment**

Eye/face protection	Wear safety glasses with side shields (or goggles). Eye protection must conform to standard EN 166
Hand protection	Wear suitable gloves. Recommended Use:. Neoprene <sup>™</sup> . Nitrile rubber. Butyl rubber. Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. Gloves must conform to standard EN 374
Skin and body protection	None under normal use conditions.

MS Polymer Kleber + Dichtstoff Transparant Supercedes Date: 20-Dec-2022

Respiratory protection	In case of inadequate ventilation wear respiratory protection. Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Ensure adequate ventilation, especially in confined areas.
Recommended filter type:	Organic gases and vapours filter conforming to EN 14387. White. Brown.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

# SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state Appearance Colour Odour Odour threshold	Solid Paste See section 1 for more information Characteristic No information available	
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation rate Flammability (solid, gas) Flammability Limit in Air Upper flammability or explosive	Values Not applicable . No data available No data available No data available No data available	Remarks • Method
limits Lower flammability or explosive limits	No data available	
Vapour pressure Relative vapour density Relative density Water solubility Solubility(ies) Partition coefficient Autoignition temperature Decomposition temperature Kinematic viscosity Dynamic viscosity Explosive properties Oxidising properties	No data available No data available No data available Product cures with moisture No data available No data available No data available > 21 mm²/s No data available No data available No data available No data available No data available	
<u>9.2. Other information</u> Solid content (%) VOC Content (%) Density	No information available No information available 1,06	

# SECTION 10: Stability and reactivity

10.1. Reactivity	
Reactivity	Product cures with moisture.
10.2. Chemical stability	
Stability	Stable under normal conditions.
Explosion data Sensitivity to mechanical impact	None.

MS Polymer Kleber + Dichtstoff Transparant Supercedes Date: 20-Dec-2022

Sensitivity to static discharge None.

### 10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

### 10.4. Conditions to avoid

Conditions to avoid Protect from moisture. Product cures with moisture.

#### 10.5. Incompatible materials

Incompatible materials None known based on information supplied.

# 10.6. Hazardous decomposition products

Hazardous decomposition<br/>productsSmall amounts of methanol (CAS 67-56-1) are formed by hydrolysis and released upon<br/>curing.

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

# Information on likely routes of exposure

Product Inform	nation
----------------	--------

Inhalation	Based on available data, the classification criteria are not met.	
Eye contact	Based on available data, the classification criteria are not met.	
Skin contact	Based on available data, the classification criteria are not met. May cause sensitisation in susceptible persons.	
Ingestion	Based on available data, the classification criteria are not met.	
Symptoms related to the physical, chemical and toxicological characteristics		
Currente me	No information quailable	

# Symptoms No information available.

### Numerical measures of toxicity

Acute toxicity

# The following values are calculated based on chapter 3.1 of the GHS document ATEmix (inhalation-vapour) 481.7950 mg/l

### **Component Information**

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Trimethoxyvinylsilane 2768-02-7	LD50 = 7120 -7236 mg/kg (Rattus) OECD 401	= 3360 µL/kg (Oryctolagus cuniculus)	LC50 (4hr) 16.8 mg/l (Rattus) OECD TG 403
Dioctyltinbis(acetylacetonate) 54068-28-9	LD50 =2500 mg/kg (Rattus)	LD50 >2000 mg/kg (Rattus)	
N-(3-(trimethoxysilyl)propyl)eth ylenediamine 1760-24-3	=2295 mg/kg (Rattus)	>2000 mg/Kg (Rattus)	LC50 4H (Aerosol)1.5 - 2.44 mg/L air
1,2-Ethanediamine, N-[3-(dimethoxymethylsilyl)pro pyl]-	=200 - 2000 mg/Kg (Rattus) (OECD 401)	>5000 mg/Kg (Oryctolagus cuniculus) (OECD 402)	

# Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Component Information							
Trimethoxyvinylsilane (2768-02-7)							
Method	Species	Exposure route	Effective dose	Exposure time	Results		
	Rabbit	Dermal	0.5 mL	24 hours	Non-irritant		

1,2-Ethanediamine, N-[3-(dimethoxymethylsilyl)propyl]- (3069-29-2)							
Method	Species	Exposure route	Effective dose	Exposure time	Results		
OECD Test No. 404:	Rabbit	Dermal			irritant		
Acute Dermal							
Irritation/Corrosion							

### Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Component Information								
Trimethoxyvinylsilane (27	Trimethoxyvinylsilane (2768-02-7)							
Method	Species	Exposure route	Effective dose	Exposure time	Results			
OECD Test No. 405:	Rabbit	eye		24 hours	Non-irritant			
Acute Eye								
Irritation/Corrosion								

1,2-Ethanediamine, N-[3-(dimethoxymethylsilyl)propyl]- (3069-29-2)							
Method Species Exposure route Effective dose Exposure time Results							
OECD Test No. 405:	Rabbit				Eye Damage		
Acute Eye							
Irritation/Corrosion							

### Respiratory or skin sensitisation

OECD Test No. 406: Skin Sensitisation. No sensitisation responses were observed. No classification is proposed, based on conclusive negative data. May cause sensitisation in susceptible persons.

Product Information						
Method	Species	Exposure route	Results			
OECD Test No. 406: Skin	Guinea pig	Dermal	No sensitisation responses			
Sensitisation			were observed			
Component Information						
Trimethoxyvinylsilane (2768-02-7	7)					
Method	Species	Exposure route	Results			
OECD Test No. 406: Skin	Guinea pig	Dermal	Not a skin sensitiser			
Sensitisation						

Dioctyltinbis(acetylacetonate) (54068-28-9)							
Method	Species	Exposure route	Results				
OECD Test No. 429: Skin		Dermal	> 5 % sensitising				
Sensitisation: Local Lymph Node							
Assay							

1,2-Ethanediamine, N-[3-(dimethoxymethylsilyl)propyl]- (3069-29-2)						
Method Species Exposure route Results						
OECD Test No. 406: Skin Sensitisation	Guinea pig		Sensitizing			

component Information						
rimethoxyvinylsilane (2768-02-7)						
Method	Species	Results				
OECD Test No. 471: Bacterial Reverse Mutation Test	in vitro	Not mutagenic				

Carcinogenicity

Based on available data, the classification criteria are not met.

**Reproductive toxicity** 

Based on available data, the classification criteria are not met.

Component Information						
Trimethoxyvinylsilane (2768-02-7)						
Method Species Results						
OECD Test No. 422: Combined Repeated	Rat	Not Classifiable				
Dose Toxicity Study with the						
Reproduction/Developmental Toxicity						
Screening Test						

#### STOT - single exposure

Based on available data, the classification criteria are not met.

#### STOT - repeated exposure

Based on available data, the classification criteria are not met.

Component Information							
Trimethoxyvinylsilane (2768-02-7)							
Method	Species	Exposure route	Effective dose	Exposure time	Results		
OECD Test No. 413:	Rat	Inhalation vapour		90 days	0.058 NOAEL		
Sub-chronic Inhalation							
Toxicity: 90-day Study							

Aspiration hazard

Based on available data, the classification criteria are not met.

# **SECTION 12: Ecological information**

### 12.1. Toxicity

#### Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Trimethoxyvinylsilane	EC 50 (72h) >	LC50 (96h) =	-	EC50(48hr)		
2768-02-7	957 mg/l	191 mg/l		168.7mg/l		
	(Desmodesmus	(Oncorhynchus		(Daphnia		
	subspicatus)	mykiss)		magna)		
	EU Method C.3					
Dioctyltinbis(acetylacet	-	LC50 (96h) =86	-	EC50 (48h)		
onate)		mg/L (Static)		=58.6 mg/L		
54068-28-9				(Daphnia		
				magna)		
N-(3-(trimethoxysilyl)pr	-	LC50 (96H)	-	EC50 (48h)		
opyl)ethylenediamine		=597 mg/L		=81mg/L		
1760-24-3		(Danio		Daphnia magna		
		rerio)Semi-static		Static		

#### MS Polymer Kleber + Dichtstoff Transparant Supercedes Date: 20-Dec-2022

#### Revision date 20-Dec-2022 Revision Number 1

# 12.2. Persistence and degradability

### Persistence and degradability No

No information available.

Component Information			
TrimethoxyvinyIsilane (2768-02-7)			
Method	Exposure time	Value	Results
OECD Test No. 301F: Ready	28 days	BOD	51 % Not readily
Biodegradability: Manometric			biodegradable
Respirometry Test (TG 301 F)			

### 12.3. Bioaccumulative potential

**Bioaccumulation** 

There is no data for this product.

### **Component Information**

Chemical name	Partition coefficient	Bioconcentration factor (BCF)
Trimethoxyvinylsilane 2768-02-7	1.1	-
N-(3-(trimethoxysilyl)propyl)ethylenediami ne 1760-24-3	-0.3	-

# 12.4. Mobility in soil

Mobility in soil

No information available.

.

# 12.5. Results of PBT and vPvB assessment

#### PBT and vPvB assessment

Chemical name	PBT and vPvB assessment
Trimethoxyvinylsilane 2768-02-7	The substance is not PBT / vPvB
Dioctyltinbis(acetylacetonate) 54068-28-9	The substance is not PBT / vPvB
N-(3-(trimethoxysilyl)propyl)ethylenediamine 1760-24-3	The substance is not PBT / vPvB
1,2-Ethanediamine, N-[3-(dimethoxymethylsilyl)propyl]- 3069-29-2	The substance is not PBT / vPvB

### 12.6. Other adverse effects

Other adverse effects

No information available.

# SECTION 13: Disposal considerations

## 13.1. Waste treatment methods

Waste from residues/unused products	Uncured product should be disposed of as hazardous waste. Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
Other information	Waste codes should be assigned by the user based on the application for which the

MS Polymer Kleber + Dichtstoff Transparant Supercedes Date: 20-Dec-2022 Revision date 20-Dec-2022 Revision Number 1

product was used.

# SECTION 14: Transport information

Land transport (ADR/RID) 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Environmental hazards 14.6 Special Provisions	Not regulated Not regulated Not regulated Not applicable None	
IMDG 14.1 UN number or ID number 14.2 Proper Shipping Name 14.3 Transport hazard class(es) 14.4 Packing group 14.5 Marine pollutant 14.6 Special Provisions	Not regulated Not regulated Not regulated Not regulated NP None	
14.7 Transport in bulk according	to Annex II of MARPOL and the IBC Code	Not applicable

Air transport (ICAO-TI / IATA-DGR)			
14.1 UN nun	nber or ID number	Not regulated	
14.2 Proper	Shipping Name	Not regulated	
14.3 Transpo	ort hazard class(es)	Not regulated	
14.4 Packing	g group	Not regulated	
14.5 Enviror	nmental hazards	Not applicable	
14.6 Special	Provisions	None	

# Section 15: REGULATORY INFORMATION

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

#### Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

#### SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

#### EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH Annex XVII
Diisononyl phthalate	28553-12-0	52[a].

52

Not to be used in toys or childcare articles above 0.1% which can be placed in the mouth by children

MS Polymer Kleber + Dichtstoff Transparant Supercedes Date: 20-Dec-2022

Substance subject to authorisation per REACH Annex XIV This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants Not applicable

National regulations

France

#### <u>Germany</u>

**Ordinance on Industrial Safety and Health - Germany - BetrSichV** No flammable liquids in accordance with BetrSichV

Water hazard class (WGK)

slightly hazardous to water (WGK 1)

#### Netherlands

List of Carcinogenic, mutagenic and reproductive toxin substances in accordance with Inspectorate SZW (Netherlands) Not Listed

Denmark Norway 15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

### **SECTION 16: Other information**

#### Key or legend to abbreviations and acronyms used in the safety data sheet

#### Full text of H-Statements referred to under section 3

H226 - Flammable liquid and vapour

- H302 Harmful if swallowed
- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H332 Harmful if inhaled
- H335 May cause respiratory irritation
- H371 May cause damage to organs

Legend
--------

TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals

MS Polymer Kleber + Dichtstoff Transparant Supercedes Date: 20-Dec-2022 Revision date 20-Dec-2022 Revision Number 1

vPvB STOT RE STOT SE EWC	Very Persistent and very Bioaccumulative (vPvB) Chemicals Specific target organ toxicity - Repeated exposure Specific target organ toxicity - Single exposure European Waste Catalogue
Key literature references No information available	and sources for data
Prepared By	Product Safety & Regulatory Affairs
Revision date	20-Dec-2022

	20-000-2022
Indication of changes	
Revision note	Not applicable.
Training Advice	No information available
Further information	No information available

### This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

#### Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

## End of Safety Data Sheet